


REVERSION DE VASECTOMIA. EXPERIENCIAS Y CONCEPTOS ACTUALES. OBJECION DE CONSCIENCIA

**ALEJANDRO CARVAJAL. MD, FECSM
VICEPRESIDENTE SLAMS
MEDELLIN, COLOMBIA**



Demographics of Vasectomy—USA and International

John M. Pile, MPH*, Mark A. Barone, DVM, MS





Fig. 3. Trends in vasectomy prevalence in Latin America and the Caribbean among currently married women aged 15 to 49, selected countries, 1986 to 2006. (Data from Refs.^[1,6,25].)



QUE PORCENTAJE SE ARREPIENTE?



Alejandro Carvajal



SCIENTIFIC ARTICLES

Microscopic Vasectomy Reversal


Sherman J. Silber M.D. †

TABLE 1. Course of Patients with Previously Unsuccessful Vasovasostomies

23 Considered surgical "successes" by the original surgeon because of presence of sperm postoperatively	
10 Became aspermic within 2 months after original "successful" vasovasostomy	13 Remained oligospermic (<10,000,000/ml) and had poor motility (<10%)
After proper microscopic reanastomosis	After proper microscopic reanastomosis
8 Developed persistently normal counts (>30,000,000/ml and >50% motility)	13 Developed persistently normal counts (>30,000,000/ml and >50% motility)
2 Gave no follow-up	




Alejandro Carvajal



VASOVASOSTOMIA







Alejandro Carvajal




Alejandro Carvajal





VASO VASOSTOMIA MICROQUIRURGICA, ÉXITO PP



Procedure	Patency	Pregnancy
Vasovasostomy	73-99%	50-65%
Vasoepididymostomy	50-80%	31-65%



VASO EPIDIDIMOSTOMIA TERMINO LATERAL





Alejandro Carvajal

PARA LLEVAR A CASA

- Vasectomía tiene tasas variables de realización, depende de circunstancias económicas y sociales principalmente
- Existe un porcentaje de pacientes que se “arrepiente” por múltiples razones
- La reversión de vasectomía es un procedimiento con altas tasas de éxito en manos experimentadas
- La técnica microquirúrgica es la más realizada en el mundo